ELSEVIER

Developmental Brain Research 87 (1995) 233–234

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Al-Sarraf, H., see Preston, J.E. (87) 69
Albrecht, D., see Gloveli, T. (87) 145
Arai, Y., Mizuguchi, M., Ikeda, K. and Takashima, S.
Developmental changes of apolipoprotein E immunoreactivity in Down syndrome brains (87) 228

Balázs, R., see Hack, N.J. (87) 55
Baruah, S., see Miller, M.W. (87) 22
Bastianelli, E. and Pochet, R.
Calmodulin, calbindin-D28k, calretinin and neurocalcin in rat olfactory bulb during postnatal development (87) 224
Baudry, M., see Hayashi, Y. (87) 96
Bergervoet-Vernooij, H.W.M., see Curfs, M.H.J.M. (87) 214

Cambray-Deakin, M.A., see Przyborski, S.A. (87) 29
Chan, K., see Ross, M.G. (87) 120
Cherubini, E., see Virginio, C. (87) 153
Curfs, M.H.J.M., Gribnau, A.A.M., Dederen, P.J.W.C. and Bergervoet-Vernooij, H.W.M.
Transient functional connections between the developing corticospinal tract and cervical spinal interneurons as demonstrated by c-*fos* immunohistochemistry (87) 214

Dawson, G., see Mangoura, D. (87) 1
Dawson, G., see Mangoura, D. (87) 12
Dederen, P.J.W.C., see Curfs, M.H.J.M. (87) 214
Delhaye-Bouchaud, N., see Fuhrman, Y. (87) 172

Frankfurt, M., see Lewis, C. (87) 91
Fuhrman, Y., Piat, G., Thomson, M.A., Mariani, J. and Delhaye-Bouchaud, N.
Abnormal ipsilateral functional vibrissae projection onto Purkinje cells multiply innervated by climbing fibers in the rat (87) 172

García-Arrarás, J.E., see Ramírez-Ordóñez, R. (87) 160
Gilliam, D.M., see Miller, M.W. (87) 22
Gloveli, T., Albrecht, D. and Heinemann, U.
Properties of low Mg^{2+} induced epileptiform activity in rat hippocampal and entorhinal cortex slices during adolescence (87) 145
Gonzalez, M.F., see Wu, C.-C. (87) 62
Goshima, Y., see Xie, R. (87) 77
Gribnau, A.A.M., see Curfs, M.H.J.M. (87) 214

Hack, N.J., Sluiter, A.A. and Balázs, R.
AMPA receptors in cerebellar granule cells during development in culture (87) 55
Harvey, A.T. and Hennessy, M.B.
Corticotropin-releasing factor modulation of the ultrasonic vocalization rate of isolated rat pups (87) 125
Hayashi, Y. and Baudry, M.
Effect of kainate-induced seizure activity on the polyamine interconversion pathway in juvenile rat brain (87) 96
Heinemann, U., see Gloveli, T. (87) 145
Hennessy, M.B., see Harvey, A.T. (87) 125

Ikeda, K., see Arai, Y. (87) 228

Kalb, R.G., see Maier, D.L. (87) 135
Kim, C.-Y., see Ryu, J.H. (87) 101
Koziel, V., see Roger, C. (87) 194
Kullama, L.K., see Ross, M.G. (87) 120

Lee, H.-J. and Page, C.H.
Motoneuron reinnervation of phasic uropod muscles in crayfish (87) 179
Lewis, C., McEwen, B.S. and Frankfurt, M.
Estrogen-induction of dendritic spines in ventromedial hypothalamus and hippocampus: effects of neonatal aromatase blockade and adult GDX (87) 91
Li, L., see Xie, R. (87) 77

Maier, D.L., Kalb, R.G. and Stelzner, D.J.
NMDA antagonism during development extends sparing of hindlimb function to older spinally transected rats (87) 135
Mangoura, D., Sogos, V. and Dawson, G.
Phorbol esters and PKC signaling regulate proliferation, vimentin cytoskeleton assembly and glutamine synthetase activity of chick embryo cerebrum astrocytes in culture (87) 1
Mangoura, D., Sogos, V., Pelletiere, C. and Dawson, G.
Differential regulation of phospholipases C and D by phorbol esters and the physiological activators carbachol and glutamate in astrocytes from chicken embryo cerebrum and cerebellum (87) 12
Mariani, J., see Fuhrman, Y. (87) 172
McEwen, B.S., see Lewis, C. (87) 91
Miki, A.
Developmental changes in the expression of α-, β- and γ-subspecies of protein kinase C at synapses in the ventral horn of the embryonic and postnatal rat spinal cord (87) 46
Miller, M.W., Waziri, R., Baruah, S. and Gilliam, D.M.
Long-term consequences of prenatal cocaine exposure on biogenic amines in the brains of mice: the role of sex (87) 22
Mizuguchi, M., see Arai, Y. (87) 228
Moos, T.
Developmental profile of non-heme iron distribution in the rat brain during ontogenesis (87) 203
Moss, I.R., see Zhang, C. (87) 188

Nakagaito, Y., Yoshida, T., Satoh, M. and Takeuchi, M.
Effects of leukemia inhibitory factor on the differentiation of astrocyte progenitor cells from embryonic mouse cerebral hemispheres (87) 220
Nehlig, A., see Roger, C. (87) 194
Nijland, M.J.M., see Ross, M.G. (87) 120

Page, C.H., see Lee, H.-J. (87) 179
Pelletiere, C., see Mangoura, D. (87) 12
Piat, G., see Fuhrman, Y. (87) 172
Pochet, R., see Bastianelli, E. (87) 224
Preston, J.E., Al-Sarraf, H. and Segal, M.B.
Permeability of the developing blood–brain barrier to ^{14}C-mannitol using the rat in situ brain perfusion technique (87) 69
Przyborski, S.A. and Cambray-Deakin, M.A.
Heterogeneity of tau protein and mRNA expression during the development of cerebellar granule cell neurons in vitro (87) 29

Ramírez-Ordóñez, R. and García-Arrarás, J.E.
Peptidergic, catecholaminergic and morphological properties of avian chromaffin cells are modulated distinctively by growth factors (87) 160
Roger, C., Koziel, V., Vert, P. and Nehlig, A.
Regional cerebral metabolic consequences of bilirubin in rat depend upon post-gestational age at the time of hyperbilirubinemia (87) 194
Ross, M.G., Nijland, M.J.M., Kullama, L.K. and Chan, K.
Cocaine stimulation of ovine fetal swallowing (87) 120

Ryu, J.H., Yanai, K., Sakurai, E., Kim, C.-Y. and Watanabe, T.
Ontogenetic development of histamine receptor subtypes in rat brain demonstrated by quantitative autoradiography (87) 101

Sakurai, E., see Ryu, J.H. (87) 101
Satoh, M. and Takeuchi, M.
Induction of NCAM expression in mouse olfactory keratin-positive basal cells in vitro (87) 111
Satoh, M., see Nakagaito, Y. (87) 220
Segal, M.B., see Preston, J.E. (87) 69
Shea, T.B.
Inhibition of neuronal surface proteases decreases the requirement for GAP-43 in neurite outgrowth (87) 87
Sluiter, A.A., see Hack, N.J. (87) 55
Sogos, V., see Mangoura, D. (87) 1
Sogos, V., see Mangoura, D. (87) 12
Stelzner, D.J., see Maier, D.L. (87) 135
Strittmatter, S.M., see Xie, R. (87) 77

Takashima, S., see Arai, Y. (87) 228
Takeuchi, M., see Nakagaito, Y. (87) 220
Takeuchi, M., see Satoh, M. (87) 111
Thomson, M.A., see Fuhrman, Y. (87) 172

Vert, P., see Roger, C. (87) 194
Virginio, C. and Cherubini, E.
Functional expression of voltage dependent sodium channels in *Xenopus* oocytes injected with mRNA from neonatal or adult rat brain (87) 153

Watanabe, T., see Ryu, J.H. (87) 101
Waziri, R., see Miller, M.W. (87) 22

Wu, C.-C. and Gonzalez, M.F.
Neonatal capsaicin treatment (NCT) alters the metabolic activity of the rat somatosensory cortex in response to mechanical deflection of the mystacial vibrissae (87) 62

Xie, R., Li, L., Goshima, Y. and Strittmatter, S.M.
An activated mutant of the α subunit of G_o increases neurite outgrowth via protein kinase C (87) 77

Yanai, K., see Ryu, J.H. (87) 101
Yoshida, T., see Nakagaito, Y. (87) 220

Zhang, C. and Moss, I.R.
Age-related μ-, δ-and κ-opioid ligands in respiratory-related brain regions of piglets: effect of prenatal cocaine (87) 188